•₹	Туре	L#	Hits	Search Text	DBs	rime Stamp	Comments	Error Definition
1	BRS	L1	40	("4774655" or "4845658" or "5369763" or "5511186" or "5761663" or "5884304" or "6018733" or "6023696" or "6144958" or "5859972" or "5987454" or "5404295" or "5548770" "5600831" or "5675785").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:03		Demintion
2	BRS	L2	3938	707/1,3,10,201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
3	BRS	L3	260	or heterogeneous!) adj2 (database\$1 or data-base\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
4	BRS	L4	1366	(((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or (data! adj base\$1))) same quer\$5)				
5	BRS	L5	10	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			·
6	BRS	L6	3	5 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
7	BRS	L7	1 .	6 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
8	BRS	L8	1	7 and (result\$1 near2 set\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
9	BRS	L9	1	7 and ((result\$1 near2 set\$1) or stream\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
10	BRS	L10	1	9 and (exclud\$3 or delet\$3 or ignor\$3 or eliminat\$3 or remov\$3) near4 record\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
11	BRS	L11	67	3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
12	BRS	L12	1	8 and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
13	BRS	L13	92	(database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			

•	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14	BRS	L15	0	14 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
15	BRS	L14	2	3 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
16	BRS	L16		14 and (exclud\$3 or delet\$3 or ignor\$3 or eliminat\$3 or remov\$3) near4 record\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
17	BRS	L17	25	13 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
18	BRS	L18	1	17 and (search\$3 near6 (result\$1 near2 set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
19	BRS	L19	1	17 and (search\$3 or compar\$6) near9 (result\$1 near2 set\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
20	BRS	L20	67	3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
21	BRS	L21	33	20 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
22	BRS	L22	2	21 and (search\$3 or compar\$6) near9 (result\$1 near2 set\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			

(***	1 111			
L Number	Hits	Search Text	DB	Time stamp
1	40	("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:03
-	i	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
	¥ .	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
	÷	"5548770" "5600831" or "5675785").pn.	DERWENT;	ŀ
			IBM TDB	
2	393 8	707/1,3,10,201.ccls.	USPAT;	2001/11/27 09:05
	3		US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	200	(manufaintel en manufaire) en distribute (manufaire)	IBM TDB	
3	26 0	(multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:11
	Š	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
	:	quer\$5	EPO; JPO;	
	1		DERWENT;	
	1266		IBM TDB	0004/44/07 00:07
4	136 6	(((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or	USPAT;	2001/11/27 09:27
	Ĭ	data-base\$1 or (data! adj base\$1))) same quer\$5)	US-PGPUB;	
]	3		EPO; JPO;	
1	•.		DERWENT;	
ا ا	40	//UA774055U UA045050U U5000700U U5544400U	IBM TDB	000444407.00.40
5	10	(("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:16
	Ţ.	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
		"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
	v.	"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.	IBM TDB	
6	3	((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:16
	*	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
	T.	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
1	·	"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
-		(data! adj base\$1)) near9 quer\$5)	LIODAT	0004/44/07 00 40
7	1	(((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:18
		"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
		"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
		"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
1		or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
		(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or		
		modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
8	4	(data! adj base\$1)))	LICDAT	2001/11/27 00:20
'	3	(((((4774655 or 4845658 or 5369763 or 5511186 or 5761663" or "5884304" or "6018733" or "6023696" or	USPAT; US-PGPUB;	2001/11/27 09:30
	•	"6144958" or "5859972" or "5987454" or "5404295" or		
		5144936 01 5659972 01 5967454 01 5404295 01	EPO; JPO;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	DERWENT;	
			IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
		(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
	•			
		(data! adj base\$1))) same quer\$5))) and (result\$1 near2		
9	4	set\$1) ((((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT:	2001/11/27 09:19
		(((((4774655 or 4845658 or 5369763 or 5311186 or 5511186 or 551186 or	US-PGPUB;	2001/11/2/ 09.19
		"6144958" or "5859972" or "5987454" or "5404295" or	•	
	•		EPO; JPO;	
		"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or	1	
	•	(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or		
[modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
		(data! adj base\$1))) same quer\$5))) and ((result\$1 near2	1	
		set\$1) or stream\$1)		1

Λ			,	
*10		(((((("4774655" or "4845658" or "5369763" or "5511186" or "5761663" or "5884304" or "6018733" or "6023696" or "6144958" or "5859972" or "5987454" or "5404295" or "5548770" "5600831" or "5675785").pn.) and 707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or (data! adj base\$1))) same quer\$5))) and ((result\$1 near2 set\$1) or stream\$1)) and (exclud\$3 or delet\$3 or ignor\$3 or eliminat\$3 or remov\$3) near4 record\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:28
11	67	((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or (data! adj base\$1))) same quer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:21
12		(((((("4774655" or "4845658" or "5369763" or "5511186" or "5761663" or "5884304" or "6018733" or "6023696" or "6144958" or "5859972" or "5987454" or "5404295" or "5548770" "5600831" or "5675785").pn.) and 707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or (data! adj base\$1))) same quer\$5))) and (result\$1 near2 set\$1)) and (((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or (data! adj base\$1))) same quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:21
13	92	(database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:29
15	0	(((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5) and ((database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1))) and 707/1,3,10,201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:28
14	2 (8) (8) (8) (8) (8) (8) (8) (8) (8) (8)	((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5) and ((database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:28
16	Q	(((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)) near9 quer\$5) and ((database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1))) and (exclud\$3 or delet\$3 or ignor\$3 or eliminat\$3 or remov\$3) near4 record\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:29
17	25	((database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1)) and 707/1,3,10,201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:29
18	11200	(((database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1)) and 707/1,3,10,201.ccls.) and (search\$3 near6 (result\$1 near2 set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/27 09:31

			,	
19	1	(((database\$1 or data-base\$1 or (data! adj base\$1)) same search\$3 same quer\$5 same (routing or router\$1)) and	USPAT;	2001/11/27 09:32
	4	707/1,3,10,201.ccls.) and (search\$3 or compar\$6) near9	US-PGPUB;	
		(result\$1 near2 set\$1)	EPO; JPO;	
		(Tesuito Friedra Seto F)	DERWENT;	
20	67	(/multiple) or multiPO or distributPO or between a sur Destio	IBM TDB	0004/44/07 00 00
20	67	((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:32
		(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
		quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO; JPO;	
	1 .	(database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT;	
		quer\$5))	IBM TDB	
21	33	(((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:32
	;	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
	,	quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO; JPO;	
1		(database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT;	
		quer\$5))) and 707/1,3,10,201.ccls.	IBM TDB	
22	St.	((((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:33
	1	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB:	
		quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO; JPO;	
		(database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT;	
		quer\$5))) and 707/1,3,10,201.ccls.) and (search\$3 or	IBM TDB	
		compar\$6) near9 (result\$1 near2 set\$1)	1.2	
1	1	; compared, moder (resulter media seter)	1	1

· t	3938	707/1,3,10,201.ccls.	LICDAT	0004/44/07 00 05
-	3930	70771,3,10,201.CCIS.	USPAT;	2001/11/27 09:05
	1		US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
		\	IBM TDB	
-	260	(multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:11
	1 1	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
		quer\$5	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	136 6	(((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or	USPAT;	2001/11/27 09:27
	1 ?	data-base\$1 or (data! adj base\$1))) same quer\$5)	US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
	1		IBM TDB	•
_	10	(("4774655" or "4845658" or "5369763" or "5511186" or	USPAT:	2001/11/27 09:16
	13	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	200 // 1/2/ 00:10
	1	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
]	"5548770" "5600831" or "5675785").pn.) and	DERWENT:	
		707/1,3,10,201.ccls.	IBM TDB	
_	2	((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:16
-	300	"5761663" or "5884304" or "6018733" or "6023696" or	1 '	2001/11/2/ 09.16
	:	"6144958" or "5859972" or "5987454" or "5404295" or	US-PGPUB;	
	5		EPO; JPO;	
	j	"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
		(data! adj base\$1)) near9 quer\$5)		
-	1	(((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:18
	γ	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
	:	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
	į .	"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
		(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or		
		modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
	-	(data! adj base\$1))) same quer\$5))		
-	1	((((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:30
	4	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
	*	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
		"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
		(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or		
		modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
		(data! adj base\$1))) same quer\$5))) and (result\$1 near2		
		set\$1)		
_	1	((((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:19
		"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
	3	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
		"5548770" "5600831" or "5675785").pn.) and	DERWENT;	
] .	707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or	םטו ואוטו	
	•	(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
		i modubo of changbol near4 (databaseb Lof data-baseb Lof	1	1
	,	(data! adj base\$1))) same quer\$5))) and ((result\$1 near2		

	P ₃			
ğ	1	(((((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:28
	5	"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB	2001711127 00:20
		"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
) ·	"5548770" "5600831" or "5675785").pn.) and	DERWENT:	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
		or heterogeneous!) adj2 (database\$1 or data-base\$1 or	I I DIVI I DB	
		(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or		
	· .	modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
		(data! adj base\$1))) same quer\$5))) and ((result\$1 near2		
		set\$1) or stream\$1)) and (exclud\$3 or delet\$3 or ignor\$3 or		
	67	eliminat\$3 or remov\$3) near4 record\$1		
-	67	((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:21
	į	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
		quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO; JPO;	
		(database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT;	
		quer\$5))	IBM TDB	
-	1	(((((("4774655" or "4845658" or "5369763" or "5511186" or	USPAT;	2001/11/27 09:21
		"5761663" or "5884304" or "6018733" or "6023696" or	US-PGPUB;	
	:	"6144958" or "5859972" or "5987454" or "5404295" or	EPO; JPO;	
		"5548770" "5600831" or "5675785").pn.) and	DERWENT,	
		707/1,3,10,201.ccls.) and ((multiple! or multi\$2 or distribut\$6	IBM TDB	
	,	or heterogeneous!) adj2 (database\$1 or data-base\$1 or		
		(data! adj base\$1)) near9 quer\$5)) and ((((updat\$3 or		
		modif\$6 or chang\$3) near4 (database\$1 or data-base\$1 or		
		(data! adj base\$1))) same quer\$5))) and (result\$1 near2		
	İ '	set\$1)) and (((multiple! or multi\$2 or distribut\$6 or		
		heterogeneous!) adj2 (database\$1 or data-base\$1 or (data!		
		adj base\$1)) near9 quer\$5) and ((((updat\$3 or modif\$6 or		
		chang\$3) near4 (database\$1 or data-base\$1 or (data! adj		
		base\$1))) same quer\$5)))		
	ذه ا	(database\$1 or data-base\$1 or (data! adj base\$1)) same	LICDAT	2004/44/27 00:20
_	92		USPAT;	2001/11/27 09:29
	Ž.	search\$3 same quer\$5 same (routing or router\$1)	US-PGPUB;	
			EPO; JPO;	
	.*		DERWENT;	
	à	/ // Wall	IBM TDB	000444407.00.00
-	0	(((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:28
	\$	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
		quer\$5) and ((database\$1 or data-base\$1 or (data! adj	EPO; JPO;	
		base\$1)) same search\$3 same quer\$5 same (routing or	DERWENT;	
		router\$1))) and 707/1,3,10,201.ccls.	IBM TDB	
-	2	((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:28
		(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
		quer\$5) and ((database\$1 or data-base\$1 or (data! adj	EPO; JPO;	
		base\$1)) same search\$3 same quer\$5 same (routing or	DERWENT;	
	•	router\$1))	IBM TDB	
-	Q	(((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:29
	Q \$%30	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
	Ĭ,	quer\$5) and ((database\$1 or data-base\$1 or (data! adj	EPO; JPO;	
	iš	base\$1)) same search\$3 same quer\$5 same (routing or	DERWENT;	
	3	router\$1))) and (exclud\$3 or delet\$3 or ignor\$3 or eliminat\$3	IBM TDB	
		or remov\$3) near4 record\$1		
_	25	((database\$1 or data-base\$1 or (data! adj base\$1)) same	USPAT;	2001/11/27 09:29
	-	search\$3 same quer\$5 same (routing or router\$1)) and	US-PGPUB;	-32
	, See	707/1,3,10,201.ccls.	EPO; JPO;	
	**		DERWENT;	
			IBM TDB	
_	4	(/ (database\$1 or data base\$1 or (data) adi base\$1\\ a====		2001/11/27 00:24
-	•	(((database\$1 or data-base\$1 or (data! adj base\$1)) same	USPAT;	2001/11/27 09:31
		search\$3 same quer\$5 same (routing or router\$1)) and	US-PGPUB;	
	,	707/1,3,10,201.ccls.) and (search\$3 near6 (result\$1 near2	EPO; JPO;	
	:	set\$1))	DERWENT;	
			IBM TDB]

1,	Ž			
1	1	(((database\$1 or data-base\$1 or (data! adj base\$1)) same	USPAT;	2001/11/27 09:32
	3	search\$3 same quer\$5 same (routing or router\$1)) and	US-PGPUB;	
		707/1,3,10,201.ccls.) and (search\$3 or compar\$6) near9	EPO; JPO;	
		(result\$1 near2 set\$1)	DERWENT;	
	· ·		IBM TDB	
-	67	((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:32
	The state of the s	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB;	
	1 3	quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO; JPO;	:
		(database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT;	
		quer\$5))	IBM TDB	
_	33	(((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT;	2001/11/27 09:32
	Type 1	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB:	
	1 2	quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO: JPO:	
		(database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT:	
	1	quer\$5))) and 707/1,3,10,201.ccls.	IBM TDB	
_	2	((((multiple! or multi\$2 or distribut\$6 or heterogeneous!) adj2	USPAT:	2001/11/27 09:33
	2	(database\$1 or data-base\$1 or (data! adj base\$1)) near9	US-PGPUB:	200 11 11/21 00:00
	4.5	quer\$5) and ((((updat\$3 or modif\$6 or chang\$3) near4	EPO: JPO:	
		(((database\$1 or data-base\$1 or (data! adj base\$1))) same	DERWENT;	
		quer\$5))) and 707/1,3,10,201.ccls.) and (search\$3 or	IBM TDB	
	1		IDM IDD	
1		compar\$6) near9 (result\$1 near2 set\$1)	1	1